



GT 1VI- Collaboration Solution is a simultaneous wired and wireless presentation and collaboration solution that makes it easier to get actual work done during meetings. GT 1VI - Collaboration delivers all the outstanding features found in the GT 1VI Collaboration with the addition of an HDMI input for simple and seamless wired connectivity. With any laptop or mobile device, users can view, edit and comment on documents in real time and record sessions. Meeting participants can display or stream full, uninterrupted video (up to 4K@60Hz) from their device, and even play YouTube videos in full frame rate.

GT 1VI- Collaboration can show up to 10 user screens on a single main display. Users can also view the main display on their own device. GT- Collaboration features iOS mirroring . Windows & Android mirroring via Miracast Etc. supports 3rd party conferencing and office apps. The solution can handle any size collaboration or meeting space and is ideal for training venues and classrooms.


Features:

- 4K@60 HDMI Wired Input: Enables hand wiring your computer or other HDMI compatible device such as a camera, multimedia player or computer.
- 60fps Streaming Multimedia: Share up to 4K wireless video streaming
- 60fps Streaming Multimedia: Share up to 4K wireless video streaming
- Remote Power Control - via a relay port
- Room Calendar Integration - Shows the room occupancy schedule on the main display
- Internal Web Browser - Open any browser to display content
- DHCP Support-Yes
- Streaming Input for the Internal Media Player
- Cloud-Based File Sharing - Drag and drop files to the internal GT cloud storage (128GB)
- Whiteboard Support-Yes
- Control - Give a participant control over a presenter's PC for true collaboration.
- Digital Signage - Enables you to display dynamic content and information on the main display when there is no meeting in progress. Use a predefined template or create your own display configuration with up to three frames of content that appear simultaneously. Schedule campaigns (content configurations) to run automatically at specific dates and times.
- Seamless VSM Integration - With GT Site Management (VSM) software

Technical Specification:

GT Collaboration	
Parameter	Description
Ports	2 USB 3.1 Gen 1 (blue): On female USB type-A connectors 3 USB 2.0 (black): On female USB type-A connectors 1 LAN: On an RJ-45 connector 2 Wi-Fi Antennas: On threaded Wi-Fi connectors (for future use) 1 Power Toggle: On a 2-pin terminal block
Inputs	1 Microphone: On a 3.5mm jack 1 HDMI: On a female HDMI connector
Outputs	1 HDMI: On a female HDMI connector 1 DisplayPort: On a female DisplayPort connector 1 Unbalanced Stereo Audio Line Out: On a 3.5mm jack

Video	Max. Resolution HDMI Input: 4K@60 Max. Resolution DisplayPort Output : 4K@60 Max. Resolution HDMI Output: 4K@30 (RGB) Video Streaming Playback (using Garantir GT app Multimedia feature): 1080p@60fps
Audio	Integrated High-Definition Audio: 5.1 channel
General	Processor: 3.60 GHz quad core (8th Generation) Main Memory: 8GB Storage: 128GB, solid-state drive LAN: Gigabit LAN
Power	Source: 120W power adapter Consumption: 2.9A
Environmental Conditions	Operating Temperature: 0° to +40°C (32° to 104°F) Storage Temperature: -40° to +70°C (-40° to 158°F) Humidity: 10% to 90%
Accessories	Included Power adapter, 2 Wi-Fi Antennas, HDMI cable extender (M to F)
Product Dimensions	21.00cm x 19.00cm x 5.00cm (8.27" x 7.48" x 1.97") W, D, H
Product Weight	1.7kg (3.2lbs) approx
Shipping Dimensions	40.50cm x 29.70cm x 9.00cm (15.94" x 11.69" x 3.54") W, D, H
Shipping Weight	2.7kg (5.9lbs) approx



Ordering Information:

Part Code	Description
GT 1VI	GT 1VI is a simultaneous wired and wireless collaboration solution that makes it easier to get actual work done during meetings. GT 1VI delivers all the outstanding features found in GT 1VI with the addition of an HDMI input for simple and seamless wired connectivity.

